



Assembly Instructions **Lily Rocking Chair**

Code: 09657

V5 05 24




(W x D x H) 0.72m x 1.14m x 0.99m



ONLINE ASSEMBLY VIDEO AVAILABLE

Please scan the QR code or visit zestoutdoorlivingsupport.co.uk



PLEASE KEEP THESE INSTRUCTIONS

Every Zest product is unique because each piece of timber has its own distinctive, natural features



Zest is a leading timber specialist, designing and manufacturing award winning wooden garden products, crafted from natural slow-grown European redwood. Unlike man-made materials, timber is an entirely natural material, and each piece has its own distinctive qualities. So, owning a Zest timber product is like enjoying a unique slice of nature.

The benefits of slow grown timber:

“Trees grow slowly in the cold climate of Eastern Europe producing stronger and close grained timber ideal for making quality outdoor products.”



Natural and Unique



There may be variations in the timber's colour or shading, but these will fade away over time when exposed to sunlight.



The changing seasons in each year of growth create characteristics unique to each tree - and to every piece of timber. Branches create an embedded mark in the tree trunk, resulting in a knot. Knots are a unique and natural feature which tells the story of the tree.



Owing to timber's natural moisture content, variations in temperature and humidity can cause expansion and contraction and may result in cracks and splits in any product made from natural timber. Any cracks and splits in the timber grain will alter with the changing seasons. They do not compromise the strength and durability of the product - they just add to its unique character.



Most Zest products are pressure treated which protects the timber from rot for many years. Pressure treatment can result in a small amount of 'green spotting' on the surface of new timber caused by natural salts leaving the wood. This will fade away over time.

These visible changes are not a fault or a cause for concern and do not affect the structural integrity of the product. They are a result of how the timber matures and responds to its natural environment.

Ethically Sourced

Zest's slow grown European redwood is sourced from responsibly managed PEFC certified forests. This means forests are used in a way that maintains biodiversity, regeneration, and nature conservation. PEFC tracks certified timber from the forest to the final product giving complete confidence to the customer. www.pefc.co.uk



Replanting

Zest with its main supply partners is dedicated to replanting woodland and is collaborating on the nurture of wildlife habitats.

Advisory Notices

- Roofs are weather resistant and not guaranteed to be watertight unless otherwise stated.
- Items with enclosed storage or cupboard space are weather resistant and are not watertight unless otherwise stated.
- Be aware of trap hazards if a Zest product has moving parts.
- All products should be positioned on solid, level ground
- Anchor down products where applicable using appropriate fixings.
- Roofs are not weight bearing
- Sanitise all catering surfaces prior to use.

Lily Rocking Chair Assembly Instructions


Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 4mm Hex Key 3mm Drill Bit required in order for you to drill all screw holes before construction.

Please take a few moments to check all pack contents listed




Lily Rocking Chair Pack List			
Code	Item	Description	Quantity
09150	A	Back Support	1
09151	B	Seat	1
09152	C	Back	1
09153	D1	Armrest/Leg Assembly (Right)	1
09154	D2	Armrest/Leg Assembly (Left)	1
09170	E	Rocker Brace	1
09171	F	Rockers	2

11862 - Lily Rocking Chair Fixings List		
Item	Description	Quantity
1	50mm Screws	22
2	Hex Bolts	6
3	'T' Nuts	6



This product is made from pressure-treated timber. It should not be painted or coated with any other treatment until at least 6 months after purchase




1



Insert Back Support Assembly A between rear legs of Seat Assembly B, align bolt holes and insert 2no Hex Bolts and 'T' Nuts (Figs.1a, 1b & 1c).




Do not fully tighten at this stage.

2



Locate Back Assembly C as shown in Fig 2a and fix in position using 6no Screws.(Figs.2b & 2c).

3






Position Armrest/Leg Assembly D1 as shown in Fig.3a. Align bolt holes and insert 2no Hex Bolts and 'T' Nuts. (Fig. 3b). Do not fully tighten.

Attach Armrest/Leg Assembly D1 to Back Support Assembly A using 1no Screw.(Fig.3c).



Repeat procedure for Armrest/Leg Assembly D2.

4



Ensuring correct orientation of Rockers F (larger cut-out to rear and innermost), position Rocker Brace E onto front of Rockers F (Fig.4a & 4b) and secure in position using 4no Screws (Fig.4c).

5



Locate seat legs into cut-outs in Rockers F and fix in position using 2no Screws for each of the rear legs (Fig.5a) and 3no Screws for each of the front legs (Fig.5b).

Fully tighten all bolts at this stage.

5



Your Lily Rocking Chair is now complete.